



- PIN Access
- Mechanical Pushbutton Lock
- Single Access Code
- Deadbolt/Spring Latch
- Thumbturn

Features

Access Control:	Mechanical pushbutton lock—eliminates problems and costs associated with issuing, controlling, and collecting keys and cards. Uses same proven combination system as our other pushbutton access controls, and are specifically designed for cabinet doors, desk drawers and similar applications. Ideal for use in many locations: medicine chests, liquor cabinets, gun boxes, courier pick-up boxes, home entertainment units, cleaning supply cabinets, tool chests, private files, audio-visual cabinets, and petty cash drawers.
No Battery:	Fully mechanical lock eliminates the material and labor expense of battery replacements
Locking Device Options:	Flat deadbolt Round deadbolt Round spring latch bolt
Number of Codes:	Single access code—one easy to manage code for all users
Programming:	Lock is easily programmed via keypad without removing lock from the door
Handing:	Non-handed
Operation Modes:	Single credential—access
Economical:	A cost effective access control solution
Key Override (Optional):	Select models

Mechanical Features

Construction:	All metal cast face plate; force-proof protected exterior knob
Numeric Keypad:	Vandal resistant, solid metal pushbuttons
Handing:	Non-handed
Finishes:	Bright Brass 03 (605), Satin Brass 04 (606), and Satin Chrome 26D (626); black trim plate (optional)
Weight:	1 lb. (0.5 kg)
Bolt:	End-throw/cross-throw deadbolt (must be manually relocked); End-throw/cross-throw spring latch (with automatic relock) Double-throw bolt (Sheet metal, end throw only)

Simplex[®]

9600 Series



Installation


Door Thickness:	Wood doors: $\frac{5}{8}$ " (16 mm) to $\frac{7}{8}$ " (22 mm) Sheet metal applications: 14 to 20 gauge
Installation:	Horizontal or vertical. Two-step mortise installation using router or $5\frac{1}{2}$ " (140 mm) x 1" (25 mm) slot with trim plate (for wood applications). Punched slot or series of $\frac{7}{16}$ " (11 mm) drilled holes (for metal applications)

Warranty


Warranty:	1-year warranty
------------------	-----------------

Cabinet Lock

Escutcheon Plate




Exterior



Side View

Black Trim Plate




Exterior with Trim Plate

Key Override



SIMPLEX[®]



Base Model	Description
9662C1026D41	Cabinet Lock, Sheet Metal, End Throw, Clutch Ball Bearing Knob, No Trim Plate, Standard Deadbolt

Finish Options	Description
03	Bright Brass (605)
04	Satin Brass (606)
26D	Satin Chrome (626)
* Keyed Alike	

Choose one option from each category

Function Options	Description
2	Wood Application, 5/8" (16 mm) to 7/8" (27 mm) door thickness
6	Sheet Metal, 14 to 20 Gauge Metal door thickness
7	Sheet Metal, 1/8" (3 mm) Metal door thickness
8	Sheet Metal, 3/16" (5 mm) Metal door thickness
9	Sheet Metal, 1/4" (6 mm) Metal door thickness

Bolt Throw Options	Description
1	Cross Throw
2	End Throw
3	End Throw with Cross Throw Parts

Knob Style Options	Description
C	Clutch Ball Bearing Knob

Trim Plate Options	Description
1	Without Trim Plate
2	With Trim Plate (Not Available on 969 Models)

Latch Bolt Options	Description
0	Standard Deadbolt
1	Spring Loaded Latch
2	Spring Loaded Latch with Key Override*
3	Deadbolt with Chamber Return Spring
9	Double Throw Bolt (End Throw Only)

Cabinet Locks, no options available

Model	Description
C9601-xxx-41**	Wood, 5/8" (16 mm) to 7/8" (27 mm), door thickness, End throw, Deadbolt, Trim plate included, Ball bearing clutch knob
C9602-xxx-41**	Wood, 5/8" (16 mm) to 7/8" (27 mm), door thickness, End throw, Spring latch, Trim plate included, Ball bearing clutch knob

** Replace xxx with your preferred finish code.

Finish Options	Description
03	Bright Brass (605)
04	Satin Brass (606)
26D	Satin Chrome (626)

Simplex® 2015 Series

Model	Description
54266	Blank Keys
54266-1-11	Master Keys for key override models. (Old #54266-1) (Specify Keycut)
54266-2-11	Service Keys for override models. (Old #54266-2) (Specify Keycut)

Simplex® 6200 Series

Model	Description
55072-03-01	Filler Plate—Bright Brass
55072-26D-01	Filler Plate—Satin Chrome
55072-19-01	Filler Plate—Black

Simplex® 900 Series

Model	Description
800-04-41	Adapter kit for doors with metal frames. Includes riser plates and surface mounted strike. Finish 04 Satin Brass; packaged 1 per box. (Old #74464/74468)
800-26D-41	Adapter kit for doors with metal frames. Includes riser plates and surface mounted strike. Finish 26D Satin Chrome; packaged 1 per box. (Old #74464/74468)
805-26D-41	Face plate shield. Not for use with key override models. Inhibits unauthorized observation of the combination. Finish 26D Satin Chrome; packaged 1 per box. (Old #24081-000-01)
54266	Blank Keys
54266-1-11	Master Keys for key override models. (Old #54266-1) (Specify Keycut)
54266-2-11	Service Keys for key override models (Old # 54266-2) (Specify Keycut)

Simplex® 1000, L1000 & 5000 Cores & Wrap Plates

Model	Description
204231-03-41	Wrap Plate, 10 ½" (267 mm), Bright Brass (605)
204231-05-41	Wrap Plate, 10 ½" (267 mm), Antique Brass (609)
204231-26D-41	Wrap Plate, 10 ½" (267 mm), Satin Chrome (626)
204232-03-41	Wrap Plate, 15" (381 mm), Bright Brass (605)

204232-05-41	Wrap Plate, 15" (381 mm), Antique Brass (609)
204232-26D-41	Wrap Plate, 15" (381 mm), Satin Chrome (626)
20484-03-01	Best Equivalent SFIC Bright Brass (605)
201484-05-01	Best Equivalent SFIC Satin Brass (609)
201484-26D-01	Best Equivalent SFIC Satin Chrome (626)
201600-083-01	Anti-Spy Shield (1000/L1000 Models Only)
204022-000-01	Latch Extension Assembly converts to 3¾" (10 cm) Backset
204023-000-01	Latch Extension Assembly converts to 5" (13 cm) Backset
54644-000-41	Weather Cover (smoke colored)
64754-000-01	Lubriplate Aero Grease Tubes (1.75 oz tubes) 150°F to -70°F (66°C to -57°C)
64684-26D-01	Installation Jig (1000/L1000/5000/E5000)

Simplex® Mounts*

Model	Description
204246-000-41	LD Series—450 & 470 Dual Mount
04083-000-41	8100 Series
204086-000-41	EE1000 Series
204087-000-41	LP1000 Series
203053-000-41	900 Series— 904 & 919 Dual Mount
204189-000-41	7100 Series— 7108 & 7104 Dual Mount
204092-000-41	7100 Series—(7106 Series Only)
204094-000-41	6200 Series
204096-000-41	2015 Series
203044-000-41	1000, L1000, 5000 Series
74378-CH	3000 Series Narrow Stile
SP5000 ACLMT	Simplex 5000 Acrylic Mount

* Mounts do not include locks

Hardwood product demonstration mount, packaged 1 per box.